



Putzmeister



Spare parts and accessories TransMix

Valid from 2024

PUTZMEISTER GENUINE PARTS

Putzmeister Mörtelmaschinen GmbH has one of the world's most comprehensive ranges of high-performance machines for screed, flowing screed, plaster and fine or shotcrete applications.

Maximum availability Guaranteed

Thanks to the highest quality standards, we can guarantee you maximum service life and wear resistance. However, maintenance and repairs are essential in the tough day-to-day work on construction sites. Here, too, we are at your side as a reliable partner. Among other things, we have over 12,000 items in stock that we can deliver to you in the shortest possible time. This means your machine will be up and running again quickly.

The same applies when it comes to original spare parts for your "old-timer". Fortunately, there are more of them than you might think.

Flexibility through quality accessories

You can also customise your machine to your requirements with our wide range of accessories.

Put your trust in Putzmeister and in our original accessories and spare parts.

Our service team – only the best for your TransMix

**Expertise in technology and service –
our After Sales department.**

Our TransMix service is just as first-class as our machines when it comes to advice, maintenance, repairs and spare parts procurement. Our professionals are at your disposal and will be on site quickly to help you with any technical questions you may have. Whether you own a machine from our current programme or a genuine „old-timer“, we will always provide you with competent answers. We are also happy to take the time for detailed consultations.

Service directly from the manufacturer

TransMix Servicehotline:
+49 7127 599-699
Our service technicians will come to you
as quickly as possible!
You can also send us your request or
enquiry via e-mail:
PMTservices@putzmeister.com

Table of contents

#01 TransMix 3.200 FE		
#01	Service packages Kubota	5
#02	Service packages Deutz	6
#03	Wear and spare parts	7
	Mixer pump unit	7
	Aggregate metering	13
	Binder metering	15
	Electrics	16
	Water metering	17
#02 TransMix 5.500 ZE		
#01	Service packages Kubota	19
#02	Service packages Deutz	20
#03	Wear and spare parts	21
	Mixer drum	21
	Aggregate metering	24
	Binder metering	25
	Electrics	28
	Water metering	29
#03 Repair kits		
#01	Spare parts kits for high-pressure cleaners, unloading valve and water pump	31
#02	Maintenance kit for hand-lever valve	31
#04 Application accessories and spare parts		
#01	Delivery hoses	33
#02	Cardan couplings	34
#03	Sponge rubber balls	34
#04	Discharge stands	35
#05	Tools	36
#06	Cleaning and care products	39

#05 Special accessories		
#01	Additive metering	41
#02	Compressed-air fibre cutter	41
#03	Printer	42
#04	Data logger	42
#05	Lighting	42
#06	Safety device	42
#07	Remote access (Kubota)	43
#08	Radio remote control (Kubota)	43
#09	Radio remote control (Deutz)	43

#01


#01

#01


#01.01 Service packages Kubota

Content	Engine	800 h	400 h	50 h
641396	Oil filter	1 x	1 x	1 x
641397	Fuel filter 1µm	1 x	1 x	
641398	Fuel filter	1 x	1 x	
641406	Air filter element (inside)	1 x		
641407	Air filter element (outside)	1 x		
643088	Valve cover gasket Kubota	1 x		
651399	V-belt for generator	1 x		
641408	Filter for oil trap	1 x	1 x	
Hydraulic				
H3350981656	Filter insert 25 µm	1 x		1 x
504066	Air filter 3µm for ventilation filter Art. No. 501211	1 x		
504063	Replacement gel (dehumidification) for ventilation filter	1 x		
H3502225341	Filter element 20,5 x 9,5	3 x		

Note		
	Engine	
Engine oil	SAE 10W-40, ACEA E/7 E9, API CJ-4	low ash
	Hydraulic	
Hydraulic oil	HLP 32 - ISO VG 32 DIN 51 524-2 (HLP), DIN EN ISO 6743-4 (HM), Bosch-Rexroth	The hydraulic oil must be replaced after 1,000 engine operating hours!



- # Calcium sulphate self levelling floor screed
- # Cement self levelling floor screed
- # Bulk insulation
- # Flow leveller
- # Foam concrete



schematic illustration

Bulk insulation

- # Processing of large quantities – ideal for large installation heights, over electrical and supply lines
- # Reloading the material without interrupting work
- # Convenient operation via remote control at the installation site


TransMix 3.200 FE & SAT-FL Service packages

#01.02 Service packages Deutz

SAT-FL		Art. No.		SAT-FL	
Service package	500 h SAT-FL	H8740309005			
Service package	1000 h SAT-FL	H8740309010			
TransMix 3.200		Art. No.		TransMix 3.200	
Service package	500 h TM 3.200	599392			
Service package	1000 h TM 3.200	599393			
Content		1000 h	500 h	1000 h	500 h
037548001	Seal ring 18 x 24	1 x	1 x	1 x	1 x
422505	Air filter element 300	1 x			
H3350981656	Filter insert HC27	1 x		1 x	
H4126098202	V-belt XPA 1060			1 x	
H2001174696	Fuel filter			1 x	1 x
208777009	Fuel filter with cartridge	1 x	1 x		
H2006015010	Fuel hose return			1,5 x	
478929	Fuel line filter	1 x	1 x	1 x	1 x
H2001180149	Crosspiece fuel line			1 x	
213616003	Air filter element			1 x	1 x
214311006	Oil filter for engine	1 x	1 x	1 x	1 x
H3502225351	Oil filter / cartridge			1 x	
H3502225341	Oil filter element	2 x			
H2001179240	Hose connection			2 x	
600565	Air filter cartridge CF 300	1 x	1 x		
H2001180869	Air filter cartridge CF 200			1 x	
502517	Valve cover gasket	1 x			
461877	Valve cover gasket			1 x	
H4116111200	Toothed V-belt XPZ 1112/25	1 x		1 x	

Wear and spare parts


#01.03 Wear and spare parts




Mixer pump unit – Mixer drum

Mixer shaft	Fig.	Art. No.
Mixer shaft (1 x)	1	H10 7110 5528
Mixer blade 3 (1 x)	2	H18 0220 4273
Mixer blade 4 (2 x)	3	H18 0220 4274
Mixer blade 2 (2 x)	4	H18 0220 4272
Mixer blade 1 (1 x)	5	H18 0220 4271
Mixer blade 5 (1 x)	6	H18 0220 4275
Hexagon screw (14 x)		032 173 002
Disc (14 x)		037 110 002
Hexagon nut, self-locking (14 x)		034 107 005


	Fig.	Art. No.
Mixer blade upper section for mixer blade 3, 4, 2 (6x)	7	H18 0220 4277
Mixer blade upper section for mixer blade 1 and 5 (2x)	8	H18 0220 4276



Bearing flange with hydraulic motor	Fig.	Art. No.
Hydraulic motor	9	H32 9003 4110
Socket	10	H10 0000 0195
Engine flange	11	H10 7110 5502
Seal ring	12	H43 0580 8012
Ring	13	H54 0500 5822
Sealing disc	14	H42 4170 0501
Inner ring	15	H54 0500 5840
Disc	16	H10 7110 5506




Bearing flange	Fig.	Art. No.
Disc	16	H10 7110 5506
Inner ring	15	H54 0500 5840
Sealing disc	14	H42 4170 0501
Ring	13	H54 0500 5822
Seal ring	12	H43 0580 8012
Angular contact ball bearing (2 x)	17	H54 3007 2081
Bearing flange	18	H19 3001 0280




Wear and spare parts mixer pump unit

Mixer pump unit – Mixer drum


Mixer drum – lid gasket	Fig.	Art. No.
Seal (2 x)	1	595 073
Seal	2	595 072
Plate (2 x)	3	595 075
Plate	4	595 074



Seal discharge belt	Fig.	Art. No.
Seal (2 x)	1	595 073
Filling collar	5	H18 6203 4247
Plate (2 x)	3	595 075




Mixer drum – discharge gate	Fig.	Art. No.
Rubber mat	6	H18 0431 4022
Wear plate	7	H14 0910 1046
Mounting plate	8	H18 6203 4398
Angle plate	9	H18 6203 4399
Cover plate	10	H18 6203 4400
Levelling plate 1,5 mm	11	H51 2007
Levelling plate 0,5 mm	12	H51 2021
Levelling plate 0,3 mm	13	H51 2022




Mixer drum – sensor	Fig.	Art. No.
Inductive proximity switch without cable	6	H31 7711 0308



Mixer drum – Load cells	Fig.	Art. No.
Load cell 1,0 t (3 x)	7	H18 6203 4199
Elastomeric bearing (3 x)	8	H18 6203 4198



Wear and spare parts mixer pump unit




Mixer pump unit – Conveyor tank


	Fig.	Art. No.
Mixing screw Ø 200 mm	1	585 126
Mixing screw Ø 160 mm (old version)	2	H18 6203 4106



Bearing flange with hydraulic motor	Fig.	Art. No.
Hydraulic motor	3	H29 0160 1200
Socket Ø 12 x D24 x 37	4	H10 0000 0195
Engine flange	5	H18 6360 4330
Bearing flange	6	H18 6203 4105
Seal ring	7	H43 0580 8012
Sealing disc 170 x 50 x 10/6 x 13	8	H42 4170 0501
O-ring 175,0 x 5,3 DIN3771 NBR 70	9	H43 7017 5053
Flange plate	10	H18 6203 4104
Inner ring 50 x 58 x 40	11	H54 0500 5840



Bearing flange	Fig.	Art. No.
Wear sleeve	12	482 289
Rubber disc 170 x 64 x 8	13	208 795 007
Shaft sealing ring 70 x 90 x 7	14	435 218
Securing ring 90 x 3 DIN472	15	036 319 008
Bearing housing	16	498 798
Spacer ring	17	H18 6203 4183
O-ring 110,72 x 3,53 ISO3601NBR70	18	043 637 003
Self-aligning ball bearing	19	482 406
Securing ring 60 x 2 DIN471	20	036 250 002
Flange cover	21	482 423




Wear and spare parts mixer pump unit


Mixer pump unit – Conveyor tank

Cardan shaft	Fig.	Art. No.
Carrier*	1	649 208
Flexible disc (2 x)	2	H30 9100 0800
Cardan shaft	3	H18 6203 4308
Carrier (for Worm pump 7515)	4	H18 6203 4327

* If worm pump 2L8,
then carrier 649 208
is required twice



Bearing flange with hydraulic motor	Fig.	Art. No.
Hydraulic motor	5	H29 0160 1188
Seal housing	6	H18 6203 4018
Shaft sealing ring	7	H43 0700 9010
Securing ring	8	036 319 008
Seal	9	H42 4170 0601
Inner ring	10	H54 0600 7060
Adapter	11	H18 6203 4017



Conveyor tank fill level indicator	Fig.	Art. No.
Fill level indicator kond. 3 rod	12	H31 9904 1010




Wear and spare parts mixer pump unit

Mixer pump unit – Conveyor tank


Worm pump 7515	Fig.	Art. No.
Stator 7515 white	1	525 052
Rotor 7515	2	433 023
Alternative: Stator 7515 red Premium	3	667 660



Worm pump 2L8	Fig.	Art. No.
Stator 2L8 clamping jacket integrated	4	H70 0050 8311
Rotor 2L8	5	H70 0050 8021




Pressure connection	Fig.	Art. No.
Adapter flange (2 x)	3	H18 0360 3420
O-ring (2 x)	2	H21 0663 2104
Tie rod L630 for 7515 (3 x)	4	H18 0360 3430
Tie rod L720 for 2L8 (3 x)		H18 6403 1700
Mounting aid	5	H50 7574
Pressure connection	1	H18 6203 4229




Wear and spare parts mixer pump unit

Mixer pump unit – Conveyor tank

Adapter with pressure gauge	Fig.	Art. No.
Crosspiece	1	H18 0360 3111
Air vent cock	2	H18 0040 3200
PM coupling M35 – female part	3	H70 3535 1111
Seal ring for M35	in 3	213 725 004
Coupling ring	4	592 429
Pressure gauge	5	418 711



Hose coupling	Fig.	Art. No.
PM coupling VT50 – male part	1	205 273 001
Alternative: PM coupling MT50 – female part	2	211 600 008
Seal ring for MT50	3	213 266 000




Worm pump conversion	2L8 → 7515	7515 → 2L8	Art. No.
Adapter flange (2x)	2x	not present	H18 0360 3420
O-ring	2x	not present	H21 0663 2104
Tie rod L630	3x	not present	H18 0360 3430
Tie rod L720	not present	3x	H18 6403 1700

Wear and spare parts aggregate metering


Aggregate metering – Discharge screw

Fig.	Art. No.	Diameter	Inside diameter	Slope	Length	Discharge
1	601 906	250	71	100L	1650-LR	without
2	637 952	250	71	150L	1650-LR	without Universal
3	642 878	300	71	150L	1650-LR	without Styrofoam
4	539 074	250	71	100L	2373-LR	with
5	635 895	250	71	150L	2373-LR	with Universal
6	642 881	300	71	150L	2373-LR	with Styrofoam

Bearing flange with Hydraulic motor	Fig.	Art. No.
Hydraulic motor	7	H29 0160 1180
Bearing flange	8	589 912
Shaft sealing ring	9	H43 0680 9010
Securing ring	10	036 319 008
Inner ring	11	H54 0600 6825
Carrier	12	539 167
Carrier	13	H10 7170 3013




Bearing flange	Fig.	Art. No.
Bearing flange	14	589 910
Proximity switch 52 x 17	15	H31 7711 0308
Inner ring	11	H54 0600 6825
Securing ring (3x)	10	036 319 008
Shaft sealing ring	9	H43 0680 9010
Bearing journal	16	H10 7170 3011
Cylindrical pin	17	H53 8030 1070
Securing ring	18	036 223 000
Deep groove ball bearing	19	002 090 005
Lid	20	H10 7170 3009



Wear and spare parts aggregate metering

Aggregate metering – Discharge belt

Discharge belt	Fig.	Art. No.
Hydraulic motor	1	H29 0160 1203
V-belt 1090LW DIN 7753	2	587 912
Conveyor belt	3	H44 0510 5099
Scraper	4	646 877
Side scraper 960 x 80 x 15	5	579 640
Side scraper 478 x 80 x 15	6	579 641
Reel D 88,9 x 608	7	646 746
Flange bearing	8	570 755
Bearing	9	576 493




Wear and spare parts binder metering


Binder metering – Discharge screw

Fig.	Art. No.	Diameter	Inside diameter	Slope	Length	Discharge
1	H18 0401 2031	190	50	070-R	1368L	without undivided chamber
1	597 866	190	50	100-R	1368L	without
2	591 497	190	50	070-R	1768L	with undivided chamber
2	595 361	190	50	100-R	1768L	with


Sealing lid binder metering	Fig.	Art. No.
Cover for binder screw	1	592558
Rubber plate 8 x D250	2	592561



Bearing flange with hydraulic motor	Fig.	Art. No.
Hydraulic motor – standard	3	H29 0160 1100
Hydraulic motor – ash application		H29 0160 1160
Bearing flange	4	H18 0400 2412
O-ring	5	H43 7022 4070
Inner ring	6	H54 0450 5025
Shaft sealing ring	7	H43 0500 7211
Securing ring	8	440 030
Bearing journal	9	H18 6203 4177
Carrier	10	H18 6203 4178




Bearing flange	Fig.	Art. No.
O-ring	5	H43 7022 4070
Bearing flange	11	H18 0400 2413
Bearing journal	12	H18 6203 4176
Carrier	10	H18 6203 4178
Inner ring	6	H54 0450 5025
Securing ring (3 x)	13	036 319 008
Shaft sealing ring	14	H43 0600 9018
Deep groove ball bearing	15	H54 3006 0110
Securing ring	16	H53 7105 5020



Wear and spare parts electrics

Electrics

Control box	Fig.	Art. No.
Control terminal TFT 400 x 240 dpt 18bit co		630643
Microcontroller MC050		617 323
Demultiplexer		618 075
XDK-911 Weighing module with display	1	621 150
Adapter cable set DK910 to XDK-911		621 152
Main switch		579 381
Keyboard module	2	618 440
Spare parts package for vehicle fuses	3	268 931 005
Square protective cover		H18 6203 4375



Safety sensors	Fig.	Art. No.
Sensor with 2 m connection cable	1	516 870
Sensor with 5 m connection cable	2	645496
Actuator		516 871




for dumper upside position,
dumper bottom position
mixer cover
and protective grille

Wear and spare parts water metering

Water metering

Water filter	Fig.	Art. No.
Filter insert	1 + 2	495 982
O-ring		417 678
Water filter housing; height = 9 3/4"	3	425 440
Flow meter 12,5-250 l/min DN25 PN10 500P/L*	4	715 037
Old version:		
Dosing meter 16 cbm/h DN40 PN16	5	695 901
Impeller pump		H10 0000 0034
Seal impeller pump		H10 0000 0038
2/2-way valve		H35 0701 2408



*A software update
may be necessary


TRANSMIX 5.500 ZE

The powerful compressed air conveyor of the TransMix 5500 conveys material up to a grain size of 16 mm. It can be individually configured, leaves the construction site absolutely clean and sets new standards in terms of mixing and processing quality in the market for earth-moist screeds.

#02

Semi-dry floor screed

- # Cement screed
- # Calcium sulphate screed
- # Magnesia screed



schematic illustration

- # No physical strain for the machine operator
- # No contamination due to residual quantities
- # Consistently high mixing and material quality
- # Convenient operation via remote control at the installation site


#02 TransMix 5.500 ZE

TransMix 5.500 ZE Service packages

#02.01 Service packages Kubota

TransMix 5.500		Art. No.	TransMix 5.500		
Service package	50 h	674860			
Service package	400 h	674862			
Service package	800 h	674864			
Content	Engine		800 h	400 h	50 h
641396	Oil filter		1 x	1 x	1 x
641397	Fuel filter 1µm		1 x	1 x	
641398	Fuel filter		1 x	1 x	
641406	Air filter element (inside)		1 x		
641407	Air filter element (outside)		1 x		
643088	Valve cover gasket Kubota		1 x		
651399	V-belt for generator		1 x		
641408	Filter for oil trap		1 x	1 x	
Hydraulic					
H3350981656	Filter insert 25 µm		1 x		1 x
504066	Air filter 3µm for ventilation filter Art.Nr. 501211		1 x		
504063	Air filter 3µm for ventilation filter		1 x		
H3502225341	Filter element 20,5 x 9,5		3 x		
Compressor					
595729	Oil filter (Compressor)		1 x		1 x
595726	Air/oil separator (Compressor)		2 x		
E21018	Air filter		1 x		

Note		
Engine		
Engine oil	SAE 10W-40, ACEA E/7 E9, API CJ-4	low ash
Hydraulic		
Hydraulic oil	HLP 32 - ISO VG 32 DIN 51 524-2 (HLP), DIN EN ISO 6743-4 (HM), Bosch-Rexroth	The hydraulic oil must be replaced after 1,000 engine operating hours!



TransMix 5.500 ZE & SAT-VZ Service packages


#02.02 Service packages Deutz

TransMix 5.500		Art. No.		TransMix 5.500	
Service package	500 h TM 5.500	H8740309020			
Service package	1000 h TM 5.500	H8740309021			
SAT-VZ		Art. No.		SAT-VZ	
Service package	500 h SAT-VZ	H8740106205			
Service package	1000 h SAT-VZ	H8740106210			
Content		1000 h	500 h	1000 h	500 h
037548001	Seal ring 18 x 24	1 x	1 x	1 x	1 x
H3501210192	Seal ring 30 x 2,5	2 x		2 x	2 x
H2106611026	Sealing disc oil separator	1 x		1 x	
H3501210196	Pressure spring cylindrical	2 x			
422505	Air filter cartridge 300			2 x	2 x
H3350981656	Filter insert HC27	1 x		1 x	
208777009	Fuel filter with cartridge	1 x	1 x	1 x	1 x
H2006015010	Fuel hose return	1,5 x			
478929	Fuel line filter	1 x	1 x	1 x	1 x
H2001180149	Crosspiece fuel line	1 x			
502360	Air filter element	1 x	1 x		
214311006	Oil filter for engine	1 x	1 x	1 x	1 x
H3502225341	Oil filter element			2 x	
H2001179240	Hose connection	2 x			
493943	Service kit – oil separator	1 x		1 x	
600565	Air filter cartridge CF 300			2 x	2 x
H2129149311	Safety cartridge air filter	1 x			
H3502601372	Sieve SF 1/2Z NWd18	1 x			
502517	Valve cover gasket			1 x	
461877	Valve cover gasket	1 x			
H3501210194	Valve disc / sealing piston cpl.	2 x		2 x	2 x
493985	Exchangeable filter	1 x		1 x	
H4116111200	Toothed V-belt XPZ 1112/25	1 x		1 x	

Note: The required suction filter quantity can be found in the hydraulic circuit diagram.

Wear and spare parts


#02.03 Wear and spare parts mixer drum



Mixer drum

Wear plate set Standard sheet metal 5 mm	Fig.	Art. No.
Wear plate with hole	1	429 862
Wear plate front/back (2x)	2	429 864
Wear plate lengthwise (2x)	3	429 865



Highly wear-resistant Wear plate set for vessel 6 mm	Fig.	Art. No.
Wear plate with hole		212 322 000
Wear plate front/back (2x)		212 321 001
Wear plate lengthwise (2x)		212 323 009



Mixer blade kit	Fig.	Art. No.
Mixer blade B1 (2 x)	1	H72 1000 1000
Mixer blade B3 (2 x)	2	H72 1000 3000
Clamp B 01 (4 x)	3	H72 0000 1000
Clamp BK 54 (4 x)	4	H72 0000 5400



Mixing chamber outlet	Fig.	Art. No.
Wear connection ID65	1	493 599
Coupling M35 G1 1/2" IG	2	211 599 009
Coupling part KKV70	3	015 197 005
O-ring 112 x 14	4	002 224 004



Complete connection
inc. mounting kit (Fig. 1 – 4)
Art. No. 489819


Wear and spare parts mixer drum

Mixer drum

Vessel bearing (Floating bearing)	Fig.	Art. No.
Flange cover	1	482 423
O-ring	2	043 637 003
Bearing housing	3	498 798
Self-aligning ball bearing	4	482 406
Shaft sealing ring	5	435 218
Securing ring	6	036 319 008
Wear sleeve (2 x)	7	482 289
Rubber disc	8	208 795 007

Vessel bearing (Fixed bearing)	Fig.	Art. No.
Rubber disc (2 x)	8	208 795 007
Spacer disc	9	702 715
Wear sleeve	10	482 291
Wear sleeve (2 x)	7	482 289
Securing ring	6	036 319 008
Shaft sealing ring	5	435 218
Self-aligning ball bearing	4	482 406
Bearing housing	11	498 799
O-ring	2	043 637 003
Flange cover	12	498 802

Hydraulic motor	Fig.	Art. No.
Hydraulic motor	13	211 543 006
O-ring	14	017 192 008
Rubber disc	15	201 388 000
Gasket set hydraulic motor		424 329




Wear and spare parts mixer drum

Mixer drum


Mixer drum – Lid sensor	Fig.	Art. No.
Non-contact position sensor 10- 36V DC	1	518 185



Mixer drum – Load cells	Fig.	Art. No.
Load cell (3 x)	2	H18 6203 4199
Elastomeric bearing (3 x)	3	H18 6203 4198




Wear and spare parts aggregate metering




Aggregate metering – Discharge screw

Fig.	Art. No.	Diameter	Inside diameter	Slope	Length	Discharge
1	601 906	250	71	100L	1650-LR	without
2	637 952	250	71	150L	1650-LR	without Universal
3	642 878	300	71	150L	1650-LR	without Styrofoam
4	539 074	250	71	100L	2373-LR	with
5	635 895	250	71	150L	2373-LR	with Universal
6	642 881	300	71	150L	2373-LR	with Styrofoam
7	H10 7170 3006	250	71	150L	1620-LR	without Universal

Bearing flange with hydraulic motor		Fig.	Art. No.
Hydraulic motor		7	H29 0160 1180
Bearing flange		8	589 912
Shaft sealing ring		9	H43 0680 9010
Securing ring		10	036 319 008
Inner ring		11	H54 0600 6825
Carrier		12	539 167
Carrier		13	H10 7170 3013



Bearing flange		Fig.	Art. No.
Bearing flange		14	589 910
Proximity switch 52 X 17*		15	H31 7711 0308
Inner ring		11	H54 0600 6825
Securing ring (3 x)		10	036 319 008
Shaft sealing ring		9	H43 0680 9010
Bearing journal		16	H10 7170 3011
Cylindrical pin		17	H53 8030 1070
Securing ring		18	036 223 000
Deep groove ball bearing		19	002 090 005
Lid		20	H10 7170 3009




*for volumetric system

Wear and spare parts mixer drum


Mixer drum – Filling hopper

	Fig.	Art. No.
Hopper	1	H52 0397
Rubber collar	2	558 119


	Fig.	Art. No.
Seating ring	3	518 347
Flap discs	4	518 345
Cone pin (2 x)	5	518 348



Seal for additive metering		Fig.	Art. No.	
Hopper-Seal – Styro - V2		6	697 844	Binder conveying without Discharge
Hopper-Seal – Styro - V1		7	697 815	Binder conveying with Discharge




Wear and spare parts Binder metering




Binder metering – Discharge screw

Fig.	Art. No.	Diameter	Inside diameter	Slope	Length	Discharge
1	H18 0400 2483	135	51	070-R/L	1940L	without
2	650 396 (2x)	135	51	070-R	940L	with

Without Discharge		
Fixed bearing with hydraulic motor	Fig.	Art. No.
Drive pin	14	658 890
Carrier	15	H10 7170 3013
Shaft sealing ring	16	H43 0500 7211
Inner ring	12	H54 0450 5025
Securing ring	17	440 030
O-ring	6	244 409 001
Drive flange	18	H18 0400 2488
Hydraulic motor	19	H29 0160 1203



Without Discharge		
Floating bearing	Fig.	Art. No.
Lid	3	H18 0400 2487
Bearing flange	4	H18 0400 2485
Cover sleeve	5	H18 0400 2486
Proximity switch 52 X 17*	15	H31 7711 0308
O-ring	6	244 409 001
Bearing journal	7	H18 0400 2484
Cylindrical pin	8	H53 8030 1060
Deep groove ball bearing	9	H54 3006 0110
Securing ring (2x)	10	H53 7105 5020
Shaft sealing ring	11	H43 0600 9018
Inner ring	12	H54 0500 6025
Securing ring (3x)	13	036 319 008




*for volumetric system


Wear and spare parts minder metering

Binder metering – Discharge screw

With Discharge		
Fixed bearing with Hydraulic motor	Fig.	Art. No.
Bearing journal	11	H18 6203 4177
Carrier	10	H18 6203 4178
Inner ring	12	H54 0450 5025
Shaft sealing ring	13	H43 0500 7211
Securing ring	14	440 030
O-ring	15	042 232 001
Bearing flange	16	650 393
Hydraulic motor	17	650 394
Sensor	18	642 841



With Discharge		
Fixed bearing	Fig.	Art. No.
Lid	1	650 321
Bearing flange	2	650 320
O-ring	3	244 409 001
Securing ring (2x)	4	036 319 008
Securing ring	5	H53 7105 5020
Deep groove ball bearing	6	H54 3006 0110
Shaft sealing ring	7	H43 0600 9018
Inner ring	8	H54 0500 6025
Bearing journal	9	H18 6203 4176
Carrier	10	H18 6203 4178



Wear and spare parts

Control box

	Fig.	Art. No.
Control terminal 800 x 480 dpt 18bit		645 722
Microcontroller MC050		617 323
Demultiplexer		618 075
XDK-911 Weighing module with display	1	621 150
Adapter cable set DK910 to XDK-911		621 152
Main switch		579 381
Keyboard module	2	646 530
Spare parts package for vehicle fuses	3	268 931 005
Square protective cover		H18 6203 4375



Safety sensors

for dumper upside position and dumper bottom position

	Fig.	Art. No.
Sensor with 2 m connection cable	1	516 870
Sensor with 5 m connection cable	1	645496
Actuator	2	516 871




Wear and spare parts

Water metering

Water filter	Fig.	Art. No.
Filter insert	1 + 2	495 982
O-ring		417 678
Water filter housing; height=9 3/4"	3	425 440
Flow meter 12,5 – 250 l/min DN25 PN10 500P/L*	4	715 037
Old version:		
Dosing meter 2,5 kbm/h DN20 PN16	5	H34 0040 2000
2/2-way valve		H35 0701 2405



*A software update may be necessary



REPAIR KITS

#03


Putzmeister offers suitable repair kits for the high-pressure cleaner and the hand lever valve. Assembled to suit the respective item, you will receive all the necessary individual parts.



Repair kits

#03.01 High-pressure cleaner unloading valve and water pump

High-pressure cleaner unloading valve	Fig.	Art. No.
Spare parts kit		488 561
Consists of: ball 11/32", piston seal 9 x 14 x 2,2 mm with O-ring, O-ring 1,78 x 20,35 mm, Piston seal 10 x 14,9 x 2,2 mm with O-ring, O-ring 1,78 x 17,17 mm, lock pin, seating, O-ring 3 x 6 mm, O-ring 1,78 x 15,6 mm		




High-pressure cleaner water pump	Fig.	Art. No.
High-pressure cleaner water pump		521 597
Spare parts kit valves	1	560 684
Spare parts kit Plunger / valve piston	2	573 874
Spare parts kit Seals oilside	3	573 875
Spare parts kit Seals waterside	4	573 876
Repair kit for water fitting	5	487 137

Repair kits

#03.02 Maintenance kit for hand-lever valve

Suitable for Art. No. H3291203010 and 663611

	Fig.	Art. No.
Maintenance kit for 3-way hand-lever valve		690 564



APPLICATION ACCESSORIES AND SPARE PARTS

#04

Application accessories and spare parts

#04.01 Delivery hoses

Delivery hoses

Length in metres	Fig.	Colour	Art. No.		Product line*
NW65 – 10 bar working pressure – Cardan couplings KK70 incl.					
10,0		black	456 831		●
20,0		black	456 832		●
10,0		white	531 329		●
NW50 – 40 bar working pressure – Couplings MT/VT50 incl.					
13,3		black	501 914		● ●
20,0		black	501 915		● ●
40,0		black	581 526		● ●
13,3		white	531 330		● ●
20,0		white	531 331		● ●

Watering hoses

NW40 – 40 bar working pressure – Coupling MT50 incl.				
5,0		black	645 082	
20,0		black	592 814	
20,0		white	730 027	

Spare parts for hoses

						for 40mm hose	for 50mm hose	for 65mm hose	
Male part	1	KK70	211 352 000	65	with nozzle			1 x	
Female part	2	KK70	211 351 001	65	with nozzle			1 x	
Male part	3	NW50	206 604 006	50	with nozzle		1 x		
Female part	4	NW50	211 595 003	50	with nozzle		1 x		
Female part	5	NW50	H70 5040 0000	40	with nozzle	1 x			
Seal for KKM70			010 207 000					1 x	
Seal for M-Teil PM-Coupling			213 266 000			1 x	1 x		
Cam lever for M-part	6		211 535 005			2 x	2 x		
Hose clip	7		015 288 008					4 x	
Hose clamp	8		H36 0213 6076			2 x	4 x		
Alternative hose clip:									
with ring bolt	9		001 046 005				(4 x)		



*Product line ● = TM 3.200
● = TM 5.500

All the best from a single source

The principle of „everything from a single source“ is not new, but tried and tested. And it offers you a lot of advantages: Firstly, you save time thanks to fewer ordering processes. Secondly, you gain security. This is because our quality management starts with the critical selection of our ISO-certified suppliers and their regular inspections. This means maximum quality even for parts that we do not manufacture ourselves. And thirdly, we offer you all these benefits at the best conditions, especially at fair prices.

Maximum flexibility for your applications

Our machine programme is one of the most comprehensive in the construction sector worldwide. This means you are ideally equipped for all requirements. However, depending on the application, you may need special accessories such as spraying equipment or spray guns and things that make your work easier or safer. You will find all of this with us – in proven quality, of course.

Quality accessories on demand

If you need accessories, there is usually a tight schedule behind it and the question of when the corresponding part can be on the construction site. In the shortest possible time! That's our answer, because we have the most common parts from our extensive range in stock and deliver promptly. No time wasted searching. With the help of our electronic spare parts catalogue and your machine number, we can quickly find the right spare parts for you.

Application accessories and spare parts

#04.02 Cardan couplings KK
for hoses NW 50–90 mm

Reduction piece	Fig.	Art. No.	Product line*
KKM 70 on V50, Inside diameter 2"	1	071 790 006	●●
KKM 70 on V50 short, Inside diameter 2,5"	2	H85 4182 00	●●

M = Female part
V = Male part



Application accessories and spare parts

#04.03 Sponge rubber balls

Delivery line	Ø	Design	Art. No.	Product line*
NW 65	80 mm	soft	422 531	●
NW 65	80 mm	hard	000 246 000	●
NW 50	60 mm	soft	000 212 005	●●
NW 50	60 mm	hard	233 494 001	●●
NW 40	50 mm	hard	H42 6005 0000	●



*Product line ● = TM 3.200
● = TM 5.500

Application accessories and spare parts

#04.04 Discharge stands

Design		Art. No. for Delivery line		Product line*
		NW 50	NW 65	
Discharge stand-Aluminium	3-legged	529 743	529744	●
Discharge stand-Aluminium	Skid	529 749	529 750	●
Discharge stand-Steel	3-legged	529 740	529 741	●
Discharge stand-Steel	Skid	529 746	529 747	●

Base frames incl. discharge pot

		Fig.	Art. No.
Discharge stand-Aluminium	3-legged	1	534 170
Discharge stand-Aluminium	Skid	2	534 172
Discharge stand-Steel	3-legged	3	534 169
Discharge stand-Steel	Skid	4	534 171



Connection kit complete

	Fig.	Art. No.
Adapter kit for Delivery line PM 50		534 166 NW 50
Adapter kit for Delivery line KK 70		534 167 NW 60



Spare parts for discharge stands

	Fig.	Art. No.
Rubber pot for discharge stand	5	468 004
Rubber foot	6	435 226
Adapter discharge stand NW50	7	458 782 NW 50
Adapter discharge stand NW65 / KK70	8	458 783 NW 60
Retaining pin for adapter PM 50	9	459 068 NW 50
Retaining pin for adapter KK70 kp	9	459 069 NW 60




*Product line ● = TM 3.200
● = TM 5.500

#04.05 Tools

Levelling tripods

	Fig.	Art. No.	Product line*
Levelling tripod Nr. 1 standard 12 cm	1	211 703 002	●
Levelling tripod Nr. 2 high 14 cm	2	211 704 001	●



Hose level

	Fig.	Art. No.	Product line*
Hose level electronic		211 624 000	●●

Coating measure

	Fig.	Art. No.	Product line*
Coating measure 85-115 cm	1	H75 00001990	●



Screed overshoes

Delivery line	Design	Fig.	Art. No.	Product line*
Screed overshoes (1 pair) with feather binding, black	light	1	H28 0974 0980	●
Screed overshoes (1 pair) with rubber binding, grey	heavy	2	557 968	●
Screed overshoes (1 pair) with rubber binding, orange	heavy	3	H28 0974 0984	●
Spare belt for heavy-duty design Spare belt for heavy-duty design				
front			362 771 000	
back			362 772 000	



Hose holder


	Fig.	Art. No.	Product line*
Hose holder, leather	1	000 206 008	●●
Hose holder, textile	2	H20 0000 1207	●●
Breakaway cable hose drum		H23 5335 5000	●●



*Product line ● = TM 3.200
● = TM 5.500

Smoothing and measuring floats with 1 horizontal level, approx. 80 x 17 mm

Width	Art. No.	Product line*
100 cm	362 315 006	●
150 cm	362 316 005	●
200 cm	362 317 004	●
250 cm	362 318 003	●
300 cm	362 319 002	●



Smoothing and measuring floats with 1 horizontal and 1 vertical level, approx. 100 x 18 mm

Width	Art. No.	Product line*
100 cm	H7500004010	●
150 cm	524455	●
200 cm	524456	●

Dapling bars

Width	Ø	Handles	Art. No.	Product line*
800 mm	30	1	211 705 000	●
1500 mm	30	2	619 094	●
2200 mm	30	2	211 706 009	●
3000 mm	30	2	211 707 008	●
900 mm	50	1	H18 0050 0090	●
1500 mm	50	2	644 864	●
2200 mm	50	2	644 865	●



*Product line ● = TM 3.200
● = TM 5.500

Application accessories and spare parts


Assembly spray

Mounting aid for rotor-stator	Fig.	Art. No.	Product line*
Silicon spray, 400-ml aerosol	1	508 975	●



Chock and shim plate

	Fig.	Art. No.	Product line*
Shim plate	1	H18 6203 4181	● ●
Brake shoe	2	729 357	● ●



Tools

	Art. No.	Product line*
Tool kit	H90 0000 0050	● ●
Double open-ended spanner – 445 mm 6M 41–46	H90 8954 1460	● ●

*Product line ● = TM 3.200
● = TM 5.500

Application accessories and spare parts

#04.06 Cleaning and care products

Grease guns and grease

	Fig.	Art. No.	Product line*
Hand lever grease gun with hose	1	000 211 006	● ●
Grease cartridges with high performance grease, 400 g	2	000 113 007	● ●



Cleaning and care products


	Fig.	Art. No.	Product line*
Biodegradable, 20-kg canister	1	410 139	● ●
PM Spray gun incl. 5 m hose	2	000 210 007	● ●
Cleaning brush, approx. 48 cm	3	000 100 007	
Hand brush "Brinkmann"	4	H75 0000 1070	



*Product line ● = TM 3.200
● = TM 5.500

SPECIAL ACCESSORIES

#05



Special accessories

#05.01 Additive metering

	Fig.	Art. No.
Additive metering pump 1 x 1.57 l/min		H87 4030 2020
Additive metering pump 2 x 1.57 l/min		H53 2895
Additive metering pump 3 x 1.57 l/min		H87 4030 2010
Additive metering pump 1 x 3.45 l/min		580 185
Additive metering pump 2 x 3.45 l/min		580 186
Additive metering pump 3 x 3.45 l/min		708 952
Additive container 2 x 80 l with thermal insulation		729 988
Additive container 2 x 80 l without thermal insulation		730 269
Spare parts additive metering pump		
Hose for hose pump Di = 9,6		H52 5582
Hose pump with 12V DC drive		H35 0701 3140




Example illustration:
Additive metering pump with two pumps

Special accessories

#05.02 Compressed–air fibre cutter spare parts


	Fig.	Art. No.
Pressure roller for glass fibre cutter		574 951
Blade cartridge set 4 – 5 piece		574 952
Blade cartridge set 6 – 5 piece		574 953
Blade cartridge set 8 – 5 piece		574 955
Glass fibre material for fibre feeders		H52 7832



Special accessories

#05.03 Printer

	Fig.	Art. No.
Document printer 42/35 characters/line	1	523 614
Control cabinet connection cable/printer		562 293
Black ribbon for dot matrix printer		574 601
Set of printer enclosures	2	607 610



Special accessories

#05.04 Data logger

	Fig.	Art. No.
SD data logger set (logger & card)		583 090
SD-card 2 GB		583 087



Special accessories

#05.05 Lighting

	Fig.	Art. No.
Set of worklights 1x TM 12 V		H87 4010 6088
Set of worklights 4x TM 12 V		H51 7146
LED worklights 60 Gr.		608 802
Set of LED-flasher 8x for TransMix		686 412
Lighting for work area control box		585 523



Special accessories

#05.06 Safety device

	Fig.	Art. No.
Wide angle mirror		548 783



Special accessories

#05.07 Remote access (Kubota)

	Fig.	Art. No.
Telematic system GPS/CAN/GSM		620 162

Special accessories

#05.08 Radio remote control (Kubota)

	Fig.	Art. No.
SW/WS remote control 10-30VDC TM3200NG CAN without repeater	1	618 399
SW/WS remote control 10-30VDC TM3200NG CAN with repeater		618 400
SW/WS remote control 10-30VDC TM5500NG CAN without repeater	2	647 041
SW/WS remote control 10-30VDC TM5500NG CAN with repeater		647 042
NiMH-Akku, 3,6 V 2100 mAh		461 523



Special accessories

#05.09 Radio remote control (Deutz)




	Fig.	Art. No.
SW/WS remote control 10-30VDC for TM3200 NG without repeater		598 240
SW/WS remote control 10-30VDC for TM3200 with repeater		594 385
SW/WS remote control 10-30VDC for TM5500 without repeater		549 690
NiMH-Akku, 3,6 V 2100 mAh		461 523

Original spare parts from Putzmeister


PUTZMEISTER WEBSHOP

**FURTHER ORIGINAL PARTS,
DELIVERY LINES AND ACCESSORIES
CAN BE FOUND IN OUR
PUTZMEISTER WEBSHOP**

To the Putzmeister webshop »



Distributed by:



Putzmeister Mörtelmaschinen GmbH

Max-Eyth-Straße 10 · 72631 Aichtal, Germany

Postfach 2152 · 72629 Aichtal, Germany

Tel. +49 (0) 7127 599-0 · Fax +49 (0) 7127 599-743

mm@putzmeister.com · www.putzmeister.com