


# Numerous storage space solutions for exactly your machine

A high payload and ergonomic storage solutions for pipes and hoses are crucial for every operator of a truck-mounted concrete pump in the 20 m class.

wheelbase R3900

MB5600, suitable for 6x4 chassis with

- The 20 m class offers more space and better accessibility than ever before, e.g. magazines, shelves or storage boxes for hoses, pipes, couplings and other accessories.
- Depending on the machine configuration, more than 200 m of hoses and pipes can be transported!



MB dimension (body frame length)	MB 4440	M4700	MB 5000	MB 5300	MB 5600	MB 5900
Possible core pump type	Ime         Ime           core         1400         1400           pe         3.1 m         3.4 m	1400	1400	1400	2100 & 1400	2100 & 1400
Available platform length	3.1 m	3.4 m	3.7 m	4.0 m	4.3 m	4.6 m
Axles		2 axles			3 axles	

On three different levels (A to C), the machine can be adapted to your individual requirements - simply to make your daily hard work easier!

- Level C: Additional storage space
- Level B: Main storage space
- Level A: Storage space under the platform


## Configure your storage space together with your sales partner!



**Overview right side** 



Overview left side



Explanation of the configuration logic: Only one option per defined storage space of levels B and C can be configured. This means: 1x B2.1 and 1x B2.2. If you select B2, B2.1 and B2.2 are blocked. To configure level C, you must also select B. Note: The order clarification must be carried out together with the engineering department of Putzmeister Concrete Pumps GmbH. Subject to technical changes due to machine configuration.

MB5600, suitable for 6x4 chassis with wheelbase R3900



Commission		Customer		Date	
Sales Internal PM					
Sales Internal Pivi		Machine type		Signature customer	
		Chassis type			
	Storage space A left side	)	S	Storage space A ri	ght side
	C B1 B2 / B2.1, B A	32.2 A	B2 /	C B2.1, B2.2	
Please select	compartment equipment. Fitted under plates and so	partment for orderly storage of all your the sidedeck for optimum access to support quared timbers. may vary depending on available installation	Please select	compartment	Storage compartment for orderly storage of all your equipment. Fitted under the sidedeck for optimum access to support plates and squared timbers. Dimensions may vary depending on available installation space.
	compartment space for 2 incl. reducing 2 pipes 1 m	pipes 1 m long and DN125 and long and DN100. eters, other space requirements),		otomago	The new storage compartment for orderly storage of all your equipment. Space for 2 pipes 1 m long and DN125 and 2 pipes 1 m long and DN100. (other diameters, other space requirements), and other equipment.
	equipment.	partment for orderly storage of all your storing couplings or sponge balls. ter drainage		accessories,	Storage compartment for orderly storage of all your equipment. Suitable for storing couplings or sponge balls. Holes for water drainage

Machine type

Chassis type

Commission Date



Storage space B left side	Storage space B right side
C B1 B2.1, B2.2 A C A	C B2.1, B2.2 A O O A - M C O O O O O O O O O O O O O O O O O O
Please select       B1         Stowage compartment with additional storage space inside the storage tray.       - As a standard feature of every new 2X machine, we offer additional storage space inside the storage tray.         This can be used for personal items or accessories (optional storage space in additional tray).       - This can be used for personal items or accessories (optional storage space in additional tray).         In addition, the storage compartment has a high level of splash water protection, which is also very important for work clothes and other items.       - In addition, a storage tray is also available for stowing more accessories         Michieved of Splash water trank 200 I in tool box, RE002957       - Provides an additional working conditions with the new 2X machines	
B2.1         Stowage compartment on sidedeck, 0.6 m ST003092 <ul> <li>Storage shelf for couplings, 1.1 m</li> <li>Modular storage compartment for accessories such as couplings and more.</li> <li>Choose between holders for couplings, boxes, drawers and more to store your equipment and tools even more conveniently.</li> <li>Multival with hole system (1100 mm long) for variable positioning of boxes and</li> </ul>	Please select       B2.1         Stowage compartment for orderly storage of all your equipment.       In addition, this space can be used for other equipment such as work clothes, sponge balls, couplings and much more.         Dimensions may vary depending on available installation space.       Dimensions may vary depending on available installation space.         Storage shelf for couplings, 1.1 m       Modular storage compartment for accessories such as couplings and more.         Multiwall with hole system (1100 mm long) for variable positioning of boxes and
ST003091       Image: Strong Combination storage compartment and shelf for couplings for stowing support plates, squared timbers and other accessories.         With 3' and 4.5' coupling holders         Image: Strong Combination stowage compartment and shelf for couplings, 1.1 m ST004003	ST004005       ST004005         ST004005       With 3' and 4.5' coupling holders         With 3' and 4.5' coupling holders       Stowage compartment and shelf for couplings, 1.1 m ST004004


Explanation of the configuration logic: Only one option per defined storage space of levels B and C can be configured. This means: 1x B2.1 and 1x B2.2. If you select B2, B2.1 and B2.2 are blocked. To configure level C, you must also select B. Note: The order clarification must be carried out together with the engineering department of Putzmeister Concrete Pumps GmbH. Subject to technical changes due to machine configuration.

Machine type Chassis type

Date

Commission





MB5600, suitable for 6x4 chassis with wheelbase R3900

Machine type Chassis type

Date

Commission



Stora	ge space B left side		Storage space B right side
	C B2 AOOA		
Please B2		Please select	B2
Side panel foldable Ex003050 Not possible with: ST003082, ST003083, ST003087 and ST0030	<ul> <li>Safe storage on the sidedeck thanks to folding beaters</li> <li>400, 600 and 800 mm height available</li> <li>Option remains if options are selected on B2.1 or B2.2</li> <li>EX003172: 600 mm height / EX003173: 800 mm height</li> </ul>		Side panel foldable       Safe storage on the sidedeck thanks to folding beaters         400, 600 and 800 mm height available       400, 600 and 800 mm height available         EX003050       Option remains if options are selected on B2.1 or B2.2         EX003172: 600 mm height / EX003173: 800 mm height         Not possible with: stro03064, stro03065, stro04007
Ergonomic magazines, 4 n hydraulically retractable	<ul> <li>Easy and ergonomic loading and unloading of hoses thanks to height-adjustable magazine</li> <li>Easy handling of the magazine</li> <li>Less space required due to new kinematics of the retractable magazine</li> <li>(Un)loading of the hoses is possible from the back and the front</li> <li>Complete magazine can be removed and replaced</li> <li>Compact design of the kinematics maintains ease of maintenance</li> <li>Optional: storage compartment on the top for even more equipment</li> </ul>		Ergonomic magazines, 4 hydraulically retractable       Easy and ergonomic loading and unloading of hoses thanks to height-adjustable magazine Easy handling of the magazine Less space required due to new kinematics of the retractable magazine (Un)loading of the hoses is possible from the back and the front Complete magazine can be removed and replaced Compact design of the kinematics maintains ease of maintenance Optional: storage compartment on the top for even more equipment
Only MB 5600 & MB 5900;         ST003082           MB 5300 on request         ST003083	. up to 24 hoses with 4 m length and SK75 = up to 96 m total length . up to 14 hoses with 4 m length and SK100 = up to 56 m total length	Only MB 5600 & MB 5900; MB 5300 on request	ST003084 up to 28 hoses with 4 m length and SK80 = up to 112 m total length ST003085 up to 21 hoses with 4 m length and SK100 = up to 84 m total length
Only MB 5600 & MB 5900;         MB 5300 on request	<ul> <li>Clean storage of the hoses thanks to the new Putzmeister magazine.</li> <li>Easy and ergonomic loading and unloading of the hoses thanks to guide rollers.</li> <li>Best distribution and compactness for as many hoses as possible with cost-efficient design</li> <li>Lightweight construction with aluminium</li> <li>Optional: storage compartment on the top for even more equipment</li> <li>Space for up to 24 hoses with 4 m length and SK75 = up to 96 m total length (other diameters, other space requirements)</li> </ul>	Only MB 5600 & MB 5900; MB 5300 on request	<ul> <li>New hose magazine, fixed, 4 m ST004007</li> <li>Clean storage of the hoses thanks to the new Putzmeister magazine.</li> <li>Easy and ergonomic loading and unloading of the hoses thanks to guide rollers.</li> <li>Best distribution and compactness for as many hoses as possible with cost-efficient design</li> <li>Lightweight construction with aluminium</li> <li>Optional: storage compartment on the top for even more equipment</li> <li>Space for up to 24 hoses with 4 m length and SK75 = up to 96 m total length (other diameters, other space requirements)</li> </ul>
Only MB 5600 & MB 5900; MB 5300 on request	<ul> <li>Combination of different levels of storage compartments to create flexible storage space for hoses and pipes.</li> <li>Flexible storage of different hose and tube diameters and lengths up to 4 m</li> <li>Easy storage of hoses thanks to simple design and flexible distribution</li> <li>Secure storage thanks to clever design and optional tension straps</li> <li>Space for up to 7 hoses of 4 m length and SK100 per level = up to ~100 m total length (other diameters, other space requirements)</li> <li>Includes ST003094 and EX003050. No further option in C possible.</li> </ul>	Only MB 5600 & MB 5900; MB 5300 on request	New hose magazine and storage box below, 4 m ST003088 <ul> <li>Lightweight construction with PE tubes</li> <li>Optional: storage compartment on top for even more equipment</li> <li>Entry-level model in cost-conscious design</li> <li>Additional space for accessories in drawers at the bottom</li> <li>Space for up to 16 hoses with 4 m length and SK75 = up to 64 m total length (other diameters, other space requirements)</li> <li>Includes ST003099. No further option in C possible.</li> </ul>

Explanation of the configuration logic: Only one option per defined storage space of levels B and C can be configured. This means: 1x B2.1 and 1x B2.2. If you select B2, B2.1 and B2.2 are blocked. To configure level C, you must also select B. Note: The order clarification must be carried out together with the engineering department of Putzmeister Concrete Pumps GmbH. Subject to technical changes due to machine configuration.

BSF 2X class -

elbase R3900

chassis


#### Machine type Chassis type

Modular storage space concept

Date

Commission







Explanation of the configuration logic: Only one option per defined storage space of levels B and C can be configured. This means: 1x B2.1 and 1x B2.2. If you select B2, B2.1 and B2.2 are blocked. To configure level C, you must also select B Note: The order clarification must be carried out together with the engineering department of Putzmeister Concrete Pumps GmbH. Subject to technical changes due to machine configuration.

### BSF 2X class - Modular storage space concept **Configuration overview**







			10	-																			-	-	_							-				
	STAVA	Cate- gory	ST002986	ST003009	ST003081	ST003007	ST003083		ST003089	EX003172	EX003173	ST004003	ST003091	ST003092	ST002981	ST003090	STUDJUS	STDD3094	ST004009		STAVA	Cate- gory	ST002984	ST003009	ST003080	ST003084	ST003088	ST004007	EX003172	EX003173 ST004004	ST004005	ST003093	ST004006	ST003099	ST003097	ST003095
Box, stainless steel, perforated, left	ST002986	А	х	х	х	х	x	x x	( x	x	x	х	х	х	х	x	x >	( X	X	Box, stainless steel, perforated, right	ST002984	А	х	х	X	x x	x	х	х	x x	х	х	x	x x	x	x
Stowage compartment, coated in RAL7016 (depending on body)	ST003009	А	x	х	х	X	x	xx	x	X	x	x	х	х	х	X	x	< X	x	Stowage compartment, coated in RAL7016 (depending on body)	ST003009	А	X	х	X	xx	X	x	x	x x	x	x	x	x x	X	X
Stowage compartment for 1 m reducer pipes, left	ST003081	А	x	х	х	x	x	xx	x	x	x	x	х	x	х	X	x	( X	x	Stowage compartment for 1 m reducer pipes, right	ST003080	А	x	х	x	xx	x	x	x	x x	x	x	x	x x	x	x
Storage option in the modular control cabinet	ST003007	B1	x	х	х	х	x	xx	x	X	X	x	х	х	x	x	x	K X	x	Ergonomic magazine, SK100, 4 m, hydraulically retractable, right B2	ST003085	B2	x	х	x									x		
Ergonomic magazine, SK100, 4 m, nydraulically retractable, left B2	ST003083	B2	x	х	х	x											x			Ergonomic magazine, SK80, 4 m, hydraulically retractable, right B2	ST003084	B2	x	х	x									x		
rgonomic magazine, SK75, 4 m, nydraulically retractable, left B2	ST003082	B2	x	х	x	x											x			Magazine for hoses SK75 plus storage boxes, 4 m, fix, right B2	ST003088	B2	x	х	x											
Magazine for hoses SK75, 4 m, fix, eft B2	ST003087	B2	x	х	х	x											x			Magazine for hoses SK75, 4 m, fix, right B2	ST004007	B2	x	х	x									x		
Storage tray shelf, 4 m, left B2	ST003089	B2	x	х	х	x											x			Side panel, right/left foldable, 600 mm height	EX003172	B2	x	х	x					X	Х	х	x	x	x	x
Side panel, right/left foldable, 500 mm height	EX003172	B2	x	х	х	x						X	х	х	х	х	)	( X	x	Side panel, right/left foldable, 800 mm height	EX003173	B2	x	х	х					X	X	x	x	x	x	x
Side panel, right/left foldable, 800 mm height	EX003173	B2	x	х	х	х						X	х	х	х	x	)	x x	x	Combination stowage compartment and shelf for couplings, right B2.1	ST004004	B2.1	x	х	х				х	x			x	x	x	x
Combination stowage compartment and shelf for couplings, left B2.1	ST004003	B2.1	x	х	х	x				x	x				x	x	)	x x	x	Storage shelf for couplings, 1 m, right B2.1	ST004005	B2.1	x	х	x				х	x			x	x	x	x
Storage shelf for couplings, 1 m, eft B2.1	ST003091	B2.1	x	х	х	x				X	x				х	x	)	K X	x	Stowage compartment on sidedeck, right B2.1	ST003093	B2.1	x	х	x				x	x			X	ĸ	X	x
Stowage compartment on sidedeck, eft B2.1	ST003092	B2.1	x	х	х	x				x	x				x	x	)	( X	X	Brackets for 10 x 3 m pipes DN125, right B2.2	ST004006	B2.2	x	х	x				x	x x	x	x				
Brackets for 10 x 3 m pipes DN125, eft B2.2	ST002981	B2.2	x	х	х	x				X	X	X	х	x						Pipe stowage compartment, 3 m, right B2.2	ST004010	B2.2	x	х	x				х	x x	x	х			X	x
Pipe stowage compartment, 3 m, eft B2.2	ST003090	B2.2	x	х	x	x				x	x	x	х	x			>	< x		Storage boxes for accessories on top, right C (only for hydr. exchangeable magazines)	ST003099	С	x	x	x	x x		x								
Storage boxes for accessories on top, eft C (only for hydr. exchangeable nagazines)	ST003098	С	X	Х	х	x	x	xx	x											Storage tray, 4 m, slanted, right C	ST003097	С	x	X	x				x	x x	x	x		ĸ		
Storage tray, 4 m, slanted, left C	ST003096	С	х	х	х	х				x	x	х	х	х		х				Storage tray, 5 m, slanted, right C	ST003095	С	х	х	х				х	x x	x	х		x		
Storage tray, 5 m, slanted, left C	ST003094	С	x	х	х	x				x	X	Х	х	х		х				Storage tray, 5 m, with support and slanted, right C	ST004008	С	X	х	х				х	x x	X	х				
Storage tray, 5 m, with support and slanted, left C	ST004009	С	x	х	х	х				X	x	x	х	x																						

Explanation of the configuration logic: Only one option per defined storage space of levels B and C can be configured. This means: 1x B2.1 and 1x B2.2. If you select B2, B2.1 and B2.2 are blocked. To configure level C, you must also select B. Note: The order clarification must be carried out together with the engineering department of Putzmeister Concrete Pumps GmbH. Subject to technical changes due to machine configuration.